

## SAFETY DATA SHEET

Preparation Date: 12/05/2016

Revision Date: 12/05/2016

Revision Number: G1

### 1. IDENTIFICATION

#### Product identifier

**Product code:** A1098  
**Product Name:** ALUMINUM OXIDE, ACTIVATED, BASIC, BROCKMANN I

#### Other means of identification

**Synonyms:** Alumina  
**CAS #:** 1344-28-1  
**RTECS #** BD1200000  
**CI#:** Not available

#### Recommended use of the chemical and restrictions on use

**Recommended use:** No information available.  
**Uses advised against** No information available

**Supplier:** Spectrum Chemical Mfg. Corp  
14422 South San Pedro St.  
Gardena, CA 90248  
(310) 516-8000.

**Order Online At:** <https://www.spectrumchemical.com>

**Emergency telephone number** Chemtrec 1-800-424-9300

**Contact Person:** Martin LaBenz (West Coast)

**Contact Person:** Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### Label elements

Not classified

#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Not available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product code:** A1098

**Product name:** ALUMINUM OXIDE,  
ACTIVATED, BASIC, BROCKMANN I

1 / 11

Components	CAS-No.	Weight %
Aluminum Oxide	1344-28-1	100

#### 4. FIRST AID MEASURES

##### First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. Consult a physician if necessary.
- Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.
- Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

##### Most important symptoms and effects, both acute and delayed

- Symptoms** May cause skin irritation. May cause eye irritation. May cause respiratory irritation. May cause digestive (gastrointestinal) tract irritation.

##### Indication of any immediate medical attention and special treatment needed

- Notes to Physician:** Treat symptomatically.

##### Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

#### 5. FIRE-FIGHTING MEASURES

##### Extinguishing Media

- Suitable Extinguishing Media:** The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

- Unsuitable Extinguishing Media:** No information available.

##### Specific hazards arising from the chemical

- Hazardous Combustion Products:** No information available.

- Specific hazards:** No information available.

##### Special Protective Actions for Firefighters

- Specific Methods:** No information available.

- Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions:** Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Avoid dust formation.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

**Methods for cleaning up** Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

#### **Safe Handling Advice**

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe vapors/dust. Do not ingest. Do not smoke. Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

#### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

#### **Incompatible Materials:**

Oxidizing agents  
Acids

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **National occupational exposure limits**

##### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Aluminum Oxide	1344-28-1	15 mg/m <sup>3</sup> TWA	None	None	None

##### **Canada**

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Aluminum Oxide	1344-28-1	= 10 mg/m <sup>3</sup> TWA	None	1.0 mg/m <sup>3</sup> TWA (respirable) (aluminum)	10 mg/m <sup>3</sup> TWAEV Al total dust

				insoluble compounds)	
--	--	--	--	----------------------	--

### Australia and Mexico

Components	CAS-No.	Australia	Mexico
Aluminum Oxide	1344-28-1	10 mg/m <sup>3</sup> TWA	= 10 mg/m <sup>3</sup> TWA

### Appropriate engineering controls

**Engineering measures to reduce exposure:** Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Individual protection measures, such as personal protective equipment

#### Personal Protective Equipment

**Eye protection:** Goggles or Safety glasses with side-shields

**Skin and body protection:** Long sleeved clothing. apron. Gloves.

**Respiratory protection:** Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds) , inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b> Solid	<b>Appearance:</b> Powder.	<b>Color:</b> White.
<b>Odor:</b> Odorless.	<b>Taste</b> No information available.	<b>Formula:</b> Al <sub>2</sub> O <sub>3</sub>
<b>Molecular/Formula weight:</b> 101.96	<b>Flammability:</b> Non-flammable	<b>Flashpoint (°C/°F):</b> No information available.
<b>Flash Point Tested according to:</b> Not available	<b>Autoignition Temperature (°C/°F):</b> No information available	<b>Lower Explosion Limit (%):</b> No information available
<b>Upper Explosion Limit (%):</b> No information available	<b>Melting point/range(°C/°F):</b> 2000-2072°C/ 3632-3761.6°F	<b>Decomposition temperature(°C/°F):</b> No information available
<b>Boiling point/range(°C/°F):</b> 2977-2980°C/ 5390.6-5396°F	<b>Bulk density:</b> No information available	<b>Density (g/cm<sup>3</sup>):</b> No information available
<b>Specific gravity:</b> 3.4-4.00	<b>pH:</b> No information available	<b>Vapor pressure @ 20°C (kPa):</b> No information available
<b>Evaporation rate:</b> No information available	<b>Vapor density:</b> No information available	<b>VOC content (g/L):</b> No information available
<b>Product code:</b> A1098	<b>Product name:</b> ALUMINUM OXIDE, ACTIVATED, BASIC, BROCKMANN I	

**Odor threshold (ppm):**  
No information available

**Partition coefficient  
(n-octanol/water):**  
No information available

**Viscosity:**  
No information available

**Miscibility:**  
No information available

**Solubility:**  
Insoluble in water  
Difficult solubility in mineral acids and  
strong alkali

## 10. STABILITY AND REACTIVITY

### Reactivity

Reactive with oxidizing agents

Reactive with acids

Chlorine trifluoride reacts violently with Aluminum oxide producing a flame. Ethylene Oxide may polymerize violently when in contact with Aluminum oxide. Reacts with hot chlorinated rubber

### Chemical stability

**Stability:** Moisture Sensitive. Hygroscopic. Stable under recommended storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur

**Conditions to avoid:** Avoid dust formation. Incompatible materials.

**Incompatible Materials:** Oxidizing agents  
Acids

**Hazardous decomposition products:** No information available.

### Other Information

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Corrosivity:** No information available

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Inhalation. Ingestion.

### Acute Toxicity

#### **Component Information**

Aluminum Oxide

CAS-No. 1344-28-1

**LD50/oral/rat** = > 5000 mg/kg Oral LD50 Rat

**LD50/oral/mouse** = No information available

**LD50/dermal/rabbit** = No information available

**LD50/dermal/rat** = No information available

**LC50/inhalation/rat** = No information available

**LC50/inhalation/mouse** = No information available

**Other LD50 or LC50 information** = No information available

**Product code:** A1098

**Product name:** ALUMINUM OXIDE,  
ACTIVATED, BASIC, BROCKMANN I

5 / 11

## Product Information

**LD50/oral/rat =**

**VALUE- Acute Tox Oral =** > 5000 mg/kg

**LD50/oral/mouse =**

**Value - Acute Tox Oral =** No information available

**LD50/dermal/rabbit**

**VALUE-Acute Tox Dermal =** No information available

**LD50/dermal/rat**

**VALUE -Acute Tox Dermal =** No information available

**LC50/inhalation/rat**

**VALUE-Vapor =** No information available

**VALUE-Gas =** No information available

**VALUE-Dust/Mist =** No information available

**LC50/Inhalation/mouse**

**VALUE-Vapor =** No information available

**VALUE - Gas =** No information available

**VALUE - Dust/Mist =** No information available

## Symptoms

**Skin Contact:**

May cause skin irritation. May cause skin irritation by mechanical action.

**Eye Contact:**

May cause eye irritation. May cause irritation of the eyes by mechanical action.

**Inhalation**

May cause respiratory tract irritation.

**Ingestion**

May cause digestive (gastrointestinal) tract irritation.

**Aspiration hazard**

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity**

Prolonged or repeated inhalation may cause emphysema, pneumothorax, and may produce small pulmonary radiographic opacities, but are usually not fibrogenic. Some epidemiologic studies have shown excess nonmalignant pulmonary fibrosis or fibrotic changes in the lungs while other have not. May result in high levels of aluminum fibers in the lungs. Also, some reports attribute aluminum oxide exposure as causing pneumoconiosis. However, workers exposed to powdered alumina in the china industry for more than 15 years had no radiological signs of pneumoconiosis. Studies of persons chronically exposed to Aluminum Oxide dust have found a dose-dependent increase of aluminum concentrations in the blood and urine, indicating that systemic distribution of aluminum can occur from dust inhalation. Animal studies showed that the retention of aluminum in the lungs of rats depended on the exposure pattern, with more dust being retained with longer exposure to lower concentrations than from shorter times with higher doses. Ingestion or Inhalation: Aluminum can accumulate in the bone with consequent increased bone fragility and fractures. This could be due to inhibition of parathyroid hormone.

**Sensitization:**

No information available.

**Mutagenic Effects:** No information available

**Carcinogenic effects:** Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Aluminum Oxide	1344-28-1	Not listed	A4 - Not Classifiable as a Human Carcinogen (listed as Aluminum insoluble compounds)	Not listed	Not listed	Not listed	Not listed

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*IARC (International Agency for Research on Cancer)*

*NTP (National Toxicology Program)*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

**Reproductive toxicity** No data is available

**Reproductive Effects:** No information available

**Developmental Effects:** No information available

**Teratogenic Effects:** No information available

**Specific Target Organ Toxicity**

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Target Organs:** No information available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Ecotoxicity effects:** No data available.

**Persistence and degradability:** No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Disposal Methods**

**Waste from residues / unused products:**

Waste must be disposed of in accordance with Federal, State and Local regulation.

**Contaminated packaging:**

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Aluminum Oxide	1344-28-1	None	None	None	None

## 14. TRANSPORT INFORMATION

### DOT

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Class:** No information available  
**Packing group:** No information available  
**Emergency Response Guide Number:** No information available  
**Marine Pollutant:** No data available  
**DOT RQ (lbs):** No information available  
**Special Provisions:** No Information available  
**Symbol(s):** No information available  
**Description:** No information available

### TDG (Canada)

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Marine Pollutant:** No Information available  
**Description:** No information available

### ADR

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Packing Group:** No information available  
**Subsidiary Risk:** No information available

### IMO / IMDG

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Marine Pollutant:** No information available

### RID

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available

### ICAO

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available



**IATA**

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**ERG Code:** No information available  
**Special Provisions** No information available

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Aluminum Oxide	1344-28-1	Present	Present KE-01012	Present	Present (1)-23	Present	Present	Present 215-691-6

**U.S. Regulations***Aluminum Oxide*

**Massachusetts RTK:** Present  
**New Jersey RTK Hazardous Substance List:** 2891  
**New Jersey (EHS) List:** 2891 500 lb TPQ  
**New Jersey - Discharge Prevention - List of Hazardous Substances:** Present  
**Pennsylvania RTK:** Environmental hazard  
**Pennsylvania RTK - Environmental Hazard List** Present  
**Pennsylvania RTK - Special Hazardous Substances** Present  
**Minnesota - Hazardous Substance List:** Present  
**California Directors List of Hazardous Substances:** Present

**California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.****Chemicals Known to the State of California to Cause Cancer:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

**Chemicals Known to the State of California to Cause Reproductive Toxicity:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Aluminum Oxide	1344-28-1	Not Listed	Not Listed	Not Listed	Not Listed

**CERCLA/SARA**

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Aluminum Oxide	1344-28-1	None	None	None	None	1.0 % de minimis concentration

**U.S. TSCA**

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Aluminum Oxide	1344-28-1	Not Applicable	Not Applicable

**Canada****Product code:** A1098**Product name:** ALUMINUM OXIDE, ACTIVATED, BASIC, BROCKMANN I**9 / 11**

**WHMIS hazard class:**

Non-controlled

**Components**  
Aluminum Oxide**WHIMHAZ**

Uncontrolled product according to WHMIS classification criteria

**Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Aluminum Oxide	1 %

**Inventory**

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Aluminum Oxide	1344-28-1	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Aluminum Oxide	1344-28-1	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Aluminum Oxide	1344-28-1	Not listed

**EU Classification****R-phrase(s)**

not determined (not applicable)

**S -phrase(s)**

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Aluminum Oxide	1344-28-1		No information	

**The product is classified in accordance with Annex VI to Directive 67/548/EEC****Indication of danger:**

None.

**16. OTHER INFORMATION**

**Preparation Date:** 12/05/2016  
**Revision Date:** 12/05/2016  
**Prepared by:** Sonia Owen

**Disclaimer:**

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be

the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet**